



PROVISION OF CACD DATA

Network Operations Handbook

Edition: 14
Edition date: 01-04-2026
Classification: Normal Business
Document Reference: Document Reference



NETWORK
MANAGER



DOCUMENT CONTROL

Document Title	PROVISION OF CACD DATA
Document Subtitle	Network Operations Handbook
Document Reference	Document Reference
Edition Number	14
Edition Validity Date	01-04-2026
Classification	Normal Business
Status	Released Issue
Author(s)	Bogdan Tomescu (NMD/NOM/OTR)
Document Owner	AD Domain Manager – NMD/NOM/OTR (Hans De Smet)

APPROVAL TABLE

Authority	Date	Signature
<u>Prepared by:</u> Bogdan Tomescu (NMD/NOM/OTR)	18-03-2026	Email
<u>Reviewed and endorsed by:</u> AD Domain Manager – NMD/NOM/OTR (Hans De Smet)	19-03-2026	Email
<u>Approved by:</u> Head of Unit – NMD/NOM/OTR (Christopher Peregrine)	23-03-2026	Email

EDITION HISTORY

Edition No.	Validity Date	Author(s)	Reason
11.0		SWE	General review and update
12.0	12/02/2016	SWE	General review and update
12.1	09/03/2017	DEC	General review and update
13.0	20/09/2021	GVL/KPY	General review and update
14.0	01/04/2026	DES/BTOMESCU	General review and update

EDITION CHANGE RECORD

Title	Amendment notes
1. INTRODUCTION	
2. ROLE AND RESPONSIBILITIES OF THE ANSPs	2.3 updated
3. CACD DATA	3.2, 3.3 and 3.5.2 updated
4. POINTS OF CONTACTS BETWEEN ANSPs AND NM	4.1.1, 4.2.2, 4.3.1 and 4.3.2 updated
5. CACD DATA PROCESSES	5.1.2, 5.2.1, 5.2.2 and 5.2.3 updated
6. FORMS	Updated
AREA INSTANCES	Deleted
NM AREAS OF OPERATION	Deleted
REQUEST FOR PRE-VALIDATION FORM	Deleted

TABLE OF CONTENT

1	INTRODUCTION	2
1.1	Scope.....	2
1.2	References	2
2	ROLES AND RESPONSIBILITIES OF THE ANSPS	3
2.1	Introduction.....	3
2.2	Role of the National ENV Coordinators (NECs).....	3
2.3	Responsibilities of the NEC	3
3	CACD DATA	5
3.1	Introduction.....	5
3.2	AIP data retrieved from States' AIS publications	5
3.3	Non-AIP data retrieved from other sources	5
3.4	Types of Central Airspace and Capacity Data	5
3.5	Time parameters to provide CACD Data to the NM	6
3.5.1	General (AIRAC related Data)	6
3.5.2	Non AIRAC related updates.....	6
4	POINTS OF CONTACTS BETWEEN ANSPS AND THE NM	7
4.1	Flow Diagram	7
4.1.1	Initial submission & updates from ANSPs on CACD Data not published by AIS ..	7
4.1.2	Feedback from NM to the ANSPs on CACD data not published by AIS	7
4.2	Means for the provision of non-AIP CACD data/forms	8
4.2.1	From NM to ANSPs	8
4.2.2	From ANSPs to NM	8
4.3	Tables for the provision of non-AIP data	8
4.3.1	From Local/National ENV Coordinator to NM Airspace Data OPS Supervisor	8
4.3.2	From the FMP to NM Airspace Data OPS Supervisor	10
5	CACD DATA PROCESSES	12
5.1	Pre-validation process	12
5.1.1	Definition and purpose.....	12
5.1.2	Action list	12
5.2	AIRAC+1 process	16
5.2.1	Definition and purpose.....	16
5.2.2	Action list	17
5.2.3	EDTCB - Environment Data Transfer Control Board	19
6	FORMS	21

1 INTRODUCTION

1.1 Scope

This document covers the data collection for the NM Environment System. It describes the data needed and the format required for data which is not available from State documentation as published in accordance with ICAO (International Civil Aviation Organisation) Document 8126.

Interested parties in this document could be any person responsible for providing Central Airspace and Capacity Data and Central Airspace and Capacity Data updates to the NM as well as any person in the NM (EUROCONTROL – Network Manager) dealing with these matters.

The scope is to achieve the collection of all data required for the proper functioning of the NM in a structured and official, but at the same time in a flexible and operational way.

1.2 References

Reference is made to the NM CACD Dossier for each country, which has been distributed to the National Coordinator and/or Local Coordinators of these countries. This CACD Dossier is based on the available data in the NM.

It is meant to be a guideline for the NM staff and at the same time as a reference (feedback on data used by the NM) for the Air Navigation Service Providers (ANSPs) and AMC cells through their assigned coordinators.

2 ROLES AND RESPONSIBILITIES OF THE ANSPS

2.1 Introduction

This section defines and describes the role and responsibilities of the ANSPs in the field of CACD data provision. The coordination with the ANSPs is done via the National ENV Coordinator and/or the local ENV Coordinator(s) and/or the RAD coordinator(s).

The role and the responsibilities were agreed at the National ENV Coordinators (NECs) meeting held in Brussels, (NM), 23/24 November 2005 and reviewed on the ENVCOOR meeting held on the 4th-5th of December 2012.

2.2 Role of the National ENV Coordinators (NECs)

The role of the designated National ENV Coordinator is to provide a single link between the NM and the ANSPs to coordinate the data provision and data validation with the NM.

2.3 Responsibilities of the NEC

The National ENV Coordinator shall carry out any necessary coordination within the ANSPs to ensure the overall process from the ANSP side for the provision of all required Central Airspace and Capacity Database (CACD) data for the Air Traffic Flow and Capacity Management (ATFCM) function (AIP and non-AIP data).

The National ENV Coordinator shall ensure that the CACD data provision procedure is correctly followed for non-Aeronautical Information Publication (AIP) data and endeavour to mediate the same for AIP data.

The National ENV Coordinator shall provide the single link for discussion of the relevance or necessity for any CACD data discrepancy identified by the NM and shall carry out the necessary internal coordination in order to provide answers in a timely manner. This is especially important with regard to the responsibilities of the National Route Availability Document (RAD) Coordinator and the Airspace Management Cell (if required).

The National ENV Coordinator shall adhere to the required implementation phases for transmitting non-AIP ENV data to the NM for implementation/validation in the Central Airspace and Capacity Database (CACD) and endeavour to mediate the same for AIP data.

- a) First Phase: up to (AIRAC -70 days) the latest = Pre-validation Static data.
- b) Second Phase: between (AIRAC -42 days and -29 days) the latest = RAD validation.
- c) Third Phase: from (AIRAC -33 days to AIRAC -22 days) the latest = AIRAC validation.

The National ENV Coordinator shall appoint and advise the NM of a replacement on a permanent basis, or every time he/she will be unavailable for a period of days/weeks.

The National ENV Coordinator shall advise the NM of all appointed Local ENV Coordinators.

The National ENV Coordinator shall be available to participate in the CACD data validation process.

The National ENV Coordinator shall request (if required) a pre-validation session with the NM and organise participation of ANSPs experts.

The National ENV Coordinator shall provide (in coordination with the NM) additional validation tools (test flight plans) for pre-validation sessions.

The National ENV Coordinator shall trigger all relevant actions under the ANSP responsibility, which could be identified after the validation phases.

3 CACD Data

3.1 Introduction

The CACD needs to be complete and accurate at all times given its critical role as a server of the other NM systems.

The output of the NM is dependent on the quality of the input data sources.

This document describes the data required and the preferred format of reception

3.2 AIP data retrieved from States' AIS publications

The NM needs all State publications and the amendments thereto. These publications are analysed through EAD PAMS and the relevant data is extracted and put into the system.

Since the start of CASTAR in combination with EAD SDO, static AIP data can be downloaded from EAD SDO and after comparison with CACD data, the delta is presented for upload.

However, this download procedure is not applied for data within the IFPZ area due to lack of a strict deadline for data delivery into the EAD system.

The upload can be done for AIRAC+1 and AIRAC+2 for AD, PT, AS (FIR/UIR) data.

EAD PAMS is still used for data maintenance) inside the IFPZ, which allows AD Staff to download the relevant AIS publication. AD Staff will then analyse the publications and identify the data falling under the scope of CACD, which is then interpreted and coded into CACD.

In cases where the published information is in contradiction with other publications, the NM will contact the relevant NECs.

3.3 Non-AIP data retrieved from other sources

In addition to State publications, the NM requires to be informed of local procedures for its proper functioning. The data entities considered are of particular importance and must preferably be submitted to the NM on the specially designed submission forms for each entity.

This data may have been published in any operational document which is in use in Air Traffic Services (ATS) services such as Letters of Agreement (LoAs), also known as NM Agreements, local operating procedures, etc.

RAD data is collected through the RAD@NMP for publication. AD Staff will then interpret the data and code it into CACD.

Aircraft type and performance data is pushed from BADA to CASTAR, and can then be compared with aircraft type and related performance data already existing in CACD, allowing the AD Domain to decide whether the new data can be committed into CACD.

3.4 Types of Central Airspace and Capacity Data

- a) Basic civil aviation structure data such as ATS routes, significant points, Standard Instrument Departure (SIDs) and Standard Terminal Arrival Route (STARs).
- b) Description of the airspace organisation (geographical, operational and procedural, where other actors can intervene, typically Airspace management Cells – AMCs).
- c) The description of the user's parameters, such as the processing options and the different addresses used by the Integrated Initial Flight Plan Processing System (IFPS) and Enhanced Tactical Flow Management System (ETFMS).

3.5 Time parameters to provide CACD Data to the NM

3.5.1 General (AIRAC related Data)

The ICAO time parameters for the publication of AIRAC amendments, and adopted by the States, are to be applied for the provision of Central Airspace and Capacity Data to the NM.

The requirement is designed to ensure the correct analysis and input of this sometimes-complex data and to allow for system constraints.

The parameters for the publication of Central Airspace and Capacity Data are:

- a) Standard: 42 days prior to the AIRAC effective date.
- b) Recommended: 56 days prior to the AIRAC effective date.

Remark: The NM request (for AIP and non-AIP data) to receive this data 49 days prior to the AIRAC showed effective date (in particular for ANSPs using RAD). This is explained in paragraph 5.2. This request is entirely compliant with the ICAO recommendation (A-56 days). Airspace Data Teams can work with a draft version, awaiting the official publication.

3.5.2 Non AIRAC related updates


A deviation from these time parameters is accepted for specific temporary data modifications which do not fall under the AIRAC related data implementation.

Forms are designed to accommodate the submission of the more dynamic data as well as the static data.

Forms are listed in paragraph 6 and are available in MS Word format on the NM NOP Portal website [here](#), under the "CACD data forms" tab.

4 POINTS OF CONTACTS BETWEEN ANSPS AND THE NM

4.1 Flow Diagram



This diagram shows the different possible flows of information from an ANSP or any other body acting as such, to the NM and vice versa.

The Airspace Data OPS (AD) team of the NM and on the other hand the Flow Management Position (FMP) who coordinates with NM Operations.

This diagram shows local ENV Coordinators and AMCs. As explained in paragraph 2.3. Responsibilities of the NEC, it is for each ANSP to decide on their internal organisation.

4.1.1 Initial submission & updates from ANSPs on CACD Data not published by AIS

All updates to the CACD data have to be transmitted to the appropriate NM contact person according to the time parameters stated before and using the means as indicated hereafter depending on the type of data and implementation timeframe involved (see paragraph 4.3. which contains all required parameters for this data).

The National Environment Coordinator may delegate certain responsibilities to a local Environment Coordinator nominated at FMP/ Area Control Centre (ACC) level. In this case the name of the contact person and the delegated responsibilities must officially be communicated to the NM. This information will be mentioned in the CACD Dossier.

The National Environment Coordinator needs to appoint and advise the NM of a replacement on a permanent basis or every time he/she will be unavailable.

4.1.2 Feedback from NM to the ANSPs on CACD data not published by AIS

This is done by means of the CACD Dossier. This document is a reference document and will reflect partly the content of the CACD at a given AIRAC effective date. An update will be sent during the week of the AIRAC effective date.

Data changes affecting ATS route and airspace structure provided by any party and affecting State other than the provider, will be coordinated by the NM before implementation with the relevant responsible contact person in the concerned State.

The contact persons mentioned in the CACD Dossier for each country (for both the ANSPs and the NM) are to be used mainly in cases where it concerns data from sources other than the State publications (unless otherwise indicated in paragraph 16).

EUROCONTROL is the responsible body for the correct input of data provided by ENV Coordinators or agreed with them.

A direct access in browse mode to the CACD is possible through the CHMI NM Interface for Remote Environment access (CIREN).

4.2 Means for the provision of non-AIP CACD data/forms

4.2.1 From NM to ANSPs

The CACD Dossier will be sent to the ANSPs responsible contact person (national and/or local coordinators). The first edition and amendments thereto will be dated with an AIRAC effective date.

This information will be sent to the responsible contact person by e-mail.

4.2.2 From ANSPs to NM

The ANSPs contact person for Environment matters shall comply with the content of tables in paragraphs 4.3.1./4.3.2. and provide the relevant NM contact person (depending on implementation requirements) with the required Central Airspace and Capacity Data preferably using the forms as described in this supplement (other media/formats could be envisaged if bilaterally agreed).

The changes should be sent to the NM via:

E-mail preferred way of transmission

Telephone if the changes are extremely urgent for the operational functioning of the NM or any National Air Traffic Services (ATS) system (subsequently confirmed by e-mail).

Changes of immediate operational impact for the operational functioning or any National ATS system should be sent to the NM AD Supervisor (SNOS/NOSU):

Tel : +32 (0) 2 745 1904

E-mail : NM.AD.SPVR@eurocontrol.int

4.3 Tables for the provision of non-IAIP data

4.3.1 From Local/National ENV Coordinator to NM Airspace Data OPS Supervisor

Type of data from National ENV Coordinator	Update process	Email to NM AD Supervisor	Copy to NM DOM	Remarks
ATC sectors				
Elementary sectors	Static	Yes		Collapsed sectors can be created on-line if the elementary sectors exists
Collapsed sectors	Semi-dynamic			

Clusters	Static	Yes		
Sector configurations				
Creation	Semi-dynamic	Yes	Yes	Sector configuration can be created on-line if elementary sector exists
Activation	Dynamic			
Airspaces for military exercises				
Creation	Static	Yes		Modifications of existing RSAs announced via NOTAM need to be sent to NM AD SPVR with NOTAM ref.
	Dynamic	Yes		Dynamic airspace creation is possible under specific conditions and with the approval of NMOC
Capacities	Dynamic	Yes	Yes	Airspaces/aerodromes/points/traffic volumes
Points				
Creation/deletion/modification	Static			
Point usage	Dynamic	Yes		
Flight level orientation scheme	Dynamic			
Aerodromes				
Creation/deletion	Static			
Taxi times/TIS/TRS	Dynamic	Yes	Yes	Closure of aerodrome announced via NOTAM needs to be requested to NM AD SPVR via email incl. NOTAM ref.
Terminal procedures in FPL field 15	Static			
Routes				
Terminal procedures creation	Semidynamic			RWYs/levels/portions
Terminal procedures update (limited)	(semi) Dynamic			Suspension of terminal procedures announced via NOTAM needs to be requested to NM AD SPVR incl. NOTAM ref.
Transition points	Static	Yes		
Connecting points	Static			
Air routes creation	Static			
Flight levels	Dynamic			
Route category & time settings	Dynamic			
OAT routes available for MIL GAT	Static			

Restrictions				
Profile tuning restriction	Semi-dynamic			All restrictions can be dynamically updated. Live creation of restrictions requires a Network Impact Assessment. The change might not be applicable immediately.
Aircraft type restriction on terminal procedure	Semidynamic			
Aerodrome flight rule	Semidynamic	Yes		
Unavailable cruising level	Semidynamic			
CCAMS	Semidynamic			
Units				
ATC/ATS unit addressing	Semi-dynamic	Yes		All units can be dynamically updated.

AD OPS Supervisor:

Tel: +32 (0) 2 745 1904

E-mail: NM.AD.SPVR@eurocontrol.int

4.3.2 From the FMP to NM Airspace Data OPS Supervisor

Type of data from FMP	Update process	To NM AD Supervisor	Copy to PRETACT *1 / TACT *2	Remarks
Capacities	Dynamic	Yes	Yes	Airspaces/aerodromes/points/traffic volumes
Sector configurations				
Creation	Semi-dynamic	Yes	Yes	Sector configuration can be created on-line if elementary sector exists
Activation	Dynamic			
Traffic volumes				
Creation	Semi-dynamic	Yes	Yes	
Update	Dynamic			
Associated flows to a reference location	Semi-dynamic	Yes	Yes	Only addition of an associated flow is possible. Deletions are not allowed on OPS system.
Taxi times and runway configurations	Dynamic	Yes	Yes	

***1) Pre-Tactical Phase (Day -1 till Day -7)**

Tel: +32 (0) 2 745 1904

E-mail: nm.pretact@eurocontrol.int

***2) Tactical Phase (On D Day of operations)**

Tel: +32 (0) 2 745 1900

E-mail: nm.dom@eurocontrol.int

5 CACD DATA PROCESSES

5.1 Pre-validation process


5.1.1 Definition and purpose

Definition: This pre-validation consists in the implementation and validation of airspace data before its official publication through AIP.

Purpose: The main purpose is to detect any inconsistencies or incomplete fields before publication by the corresponding ANSPs.

The desired benefit of this early implementation is to have an anticipated airspace data which can be useful for the RAD pre-validation or, in the future, to carry out traffic simulations.

Flow Diagram



5.1.2 Action list

This action list describes the procedure to be followed, and the role of the NEC/NM for a pre-validation exercise.

The 'WHEN latest' is indicated here for a pre-validation taking place 3 AIRACs in advance of the Effective Date.

All pre-validation request forms must be sent to the NM AD **Supervisor** mailbox (NM.AD.SPVR@eurocontrol.int). The AD Senior Network Operation Supervisor on duty will coordinate the request within NM.

PREVALIDATION			
STEP	WHEN latest	DESCRIPTION	RESPONSIBLE
1	A-98	Fill in Request for Pre-validation via submission form (see paragraph 6. Forms)	NEC
2		ADS SNOS will set up planning after reception of pre-validation request	NM
3	A-84	<u>Data provision:</u> Provision of CACD data to NM Provision of RAD data at the same time to the NM RAD Team (RAD@NMP) Provision of Flight Plan Data	NEC + NRC
4	A-76	Data Implementation (internal process)	NM
5		Internal meeting to prepare the necessary arrangements for the pre-validation exercise	NM
6		Loading of validation platform (internal process)	NM
7	A-69	Confirmation of planning to NEC	NM
8	A-68	Ensure participation to the validation	NM/NEC
9	A-65	Debriefing with all involved participants	NM
10	AIRAC	Effective Date (going OPS)	NM

Pre-validation is an NM service, which can be provided to ANSPs. Errors can be detected and corrected before the official publication. Therefore, the official publication of the amendments and the RAD will contain fewer errors and will leave less room for misinterpretation.

STEP 1: REQUEST PRE-VALIDATION

In order to start up the procedure, a 'Request for pre-validation form' has to be filled in and sent as soon as possible to the NM.

Responsibilities of the NM

After reception of the Request, the Senior Network Operation Supervisor (SNOS) will:

1. Coordinate within the NM with all actors involved in the exercise.
2. Set-up corresponding action list.
3. Define the planning for the session(s).

Responsibilities of NEC

Ensure that the 'request for pre-validation' is properly filled in with all necessary information, and sent to NM AD Supervisor: nm.ad.spvr@eurocontrol.int

STEP 2: PLANNING FOR PRE-VALIDATION

Once an ANSP has sent its request for a pre-validation, the procedure will be started up.

Responsibilities of the NM

Give feedback to the NEC concerning the planning.

Responsibilities of the NEC

Give an agreement for the proposed planning.

STEP 3: PROVISION OF DATA

Responsibilities of the NM

Ensure the data collection.

Ensure having all necessary info on contact persons.

Re-ensure that action list is followed properly.

Provide assistance for flight plan data, if required.

Booking of the pre-validation area (in house).

Responsibilities of the NEC

Ensure the provision of CACD data in a correct format.

Ensure that all required RAD data is provided on time to the NM RAD team (in coordination with RAD coordinator) via RAD@NMP

Ensure the provision of flight plan data in a correct format (ICAO). If required, assistance can be given by IFPS.

STEP 4: DATA IMPLEMENTATION

Internal process: for information

Responsibilities of the NM

The AD Team implements all required data in CACD. In case of questions concerning the CACD data, communication is now between NEC-AD team.

The AD team and RAD Team will check whether all RAD info has been received as well. The RAD to be implemented only after all AIP data is in system already.

STEP 5: INTERNAL COORDINATION

Internal process: for information

Responsibilities of the NM

Under normal circumstances, the pre-validation should not interfere with the normal OPS business. In case there is interference, OPS has priority over pre-validation.

STEP 6: LOADING OF VALIDATION PLATFORM

Responsibilities of the NM

The AD team will ensure the loading of validation platform including flight plans and advise all involved actors.

STEP 7: FINAL PREPARATION FOR PRE-VALIDATION

Responsibilities of the NM

The AD team has to advise the NEC that everything is ready for the pre-validation.

Pre-validation on-site: dates and names are confirmed/modified (internal and external).

The AD team has to confirm the names of pre-validation participants to the NM administration and security for access to the NM.

Responsibilities of the NEC

To confirm the participation.

Pre-validation on-site: names/dates/times.

STEP 8: PRE-VALIDATION

Responsibilities of the NM

The AD staff will **hold** a briefing with all participants before the start of the exercise.

STEP 9: DEBRIEFING

After the validation exercise, a debriefing will be held with all participants (ANSPs and NM).

This debriefing is held in order to address/trace any kind of problems.

During this debriefing it will be clear whether the information can be officially published as it has been implemented, or that changes will be done before official publication.

Responsibilities of the NM

The AD staff will **hold** the debriefing with the NEC/ANSP, and make a report on the pre-validation exercise.

Pre-validation on-site: debriefing held on-site.

STEP 10: GOING OPS

Responsibilities of the NM

To ensure that somebody from the AD team is present and available to help solving on-line problems.

5.2 AIRAC+1 process

5.2.1 Definition and purpose

Definition: The AIRAC+1 process **consists** of implementing and validating CACD related data.


Purpose: The main purpose is to detect any inconsistencies or incomplete fields before its operational implementation. This is organised in 2 steps:

The 'Test' step starts at AIRAC-21 days, which is the deadline to collect the data for AIRAC +1

The 'Final' step ends with the 'GO/NOGO' decision at AIRAC-6 days.

The various actions performed as part of the AIRAC+1 process are listed in the table under paragraph 5.2.2

Flow Diagram



5.2.2 Action list

This action list is to describe the procedure to be followed and the role of the NEC / NM during the AIRAC+1 process.

AIRAC + 1			
STEP	WHEN	DESCRIPTION	RESPONSIBLE
1 (*)	Before A-49	Ensure the coordination with all relevant data originators and publisher in its ANSP in time. Ensure that all non-AIP data has been sent to NM.	NEC
2 (*)		Check the publication table, via the OPSD console. In case of missing AIRAC data, and no info found on AIS Agora/EAD, the NEC will be contacted.	AD team
3	A-21	Deadline for receiving AIRAC+1 data CACD data processing and validation	NM
4	A-17	TEST Tape production Distribution of Test CACD dossier	NM AD (SNOS/NOSU)
	A-14	Transmit to AD team, errors and anomalies found	NEC
7	A-10	FINAL Tape production	NM AD
8	A-9/ A-8	FINAL Tape validation	NM AD IFPS
9	A-7	Transmit to AD team analysis results	NEC
10	A-6	GO-NOGO meeting. NEC can express the need of his/her participation (teleconference) in case of problems	EDTCB NEC
11	A-6	E-mail to all NECs with the AIRAC status, if NOGO decision	AD Team
12	A-5	Distribution of FINAL CACD dossier	NM AD

(*) A-49 date is set to allow carrying out a validation of the RAD document before its publication at A-28.

STEP 1-2: AIP DATA AND DISTRIBUTION TO THE NM

Due to the limited implementation time it is very important that data arrives at the NM on time. Data shall be delivered in the correct format.

If major data arrives later than A-21, analysis of workload will be done, and a decision for implementation will be taken at an ad-hoc EDTCB meeting. If decision is negative,

the NEC will be informed as soon as possible, and the implementation will be for AIRAC+2.

Responsibilities of the NM

Ensure that, if there is AIP data missing, and no info can be found via EAD the NEC is contacted.

In this case, the NEC should ensure that the NM is provided with the data by other means.

Responsibilities of the NEC

Ensure the coordination with all relevant data originators and publisher in its ANSP in time.

STEP 3: QUALITY CONTROL/TEST TAPE

After the closure of the database for AIRAC+1 updates, quality control and validations checks will be executed before the creation of the Test tape.

Responsibilities of the NM

The AD team assures that errors are corrected (if required, in coordination with the NEC). Only corrections to the database AIRAC+1 are allowed. There should be no new data implemented. Only the NM OM will approve the implementation of late/new AIRAC related data.

STEP 4: CACD DOSSIER TEST TAPE

Responsibilities of the NM

The CACD dossier will be provided to all NEC after CACD processing.

STEP 5: TEST TAPE VALIDATION

Internal process: for information

Responsibilities of the NM

NM validation of the TEST Tape.

STEP 6: ANOMALIES LIST

Responsibilities of the NEC

The NEC shall check the dossier and report ASAP all errors/anomalies to the NM in order to correct the data before starting the Final tape.

The report of errors/anomalies shall be sent by e-mail /fax to the AD team.

STEP 7: FINAL TAPE

The Final tape will be produced.

STEP 8: FINAL TAPE VALIDATION

Internal process: for information

Responsibilities of the NM

NM validation of the FINAL Tape.

STEP 9: CACD DOSSIER FINAL TAPE

Responsibilities of the NM

The CACD dossier will be provided to all NEC, after the final CACD DB processing.

STEP 10: CACD DOSSIER ANALYSIS

Responsibilities of the NEC

The NEC shall check the dossier and report ASAP all errors/anomalies (by e-mail to the AD Supervisor (SNOS/NOSU)).

STEP 11: GO-NOGO MEETING

Responsibilities of the NM

All identified AIRAC related problems (NM and/or NEC) will be discussed at the GO-NOGO meeting. If required, the NEC can participate in the meeting (teleconference possible).

STEP 12: NEW AIRAC

Responsibilities of the NM

In case of a NOGO, the NEC will be advised as soon as possible about required action before the AIRAC switch.

5.2.3 EDTCB - Environment Data Transfer Control Board

Three EDTCB meetings are scheduled per AIRAC cycle, with the possibility of an ad-hoc meeting, when necessary. The dates and scope of these meetings are presented in the table below:

Meeting	When	Items discussed
EDTCB_1	A-20	Identified OPS problems. AIS publications collection status. Update of points in Gander FIR Check workload status before starting the test tape. Data transfer checklist. BADA updates MILEX and special events Major airspace data changes Planned pre-validations
EDTCB_2	A-13	Test tape transfer. AIS publications collection status Test tape CCAMS validation results Test tape IFPS validation results/claims. Late data / NOTAM. Check ACFT types with WTC undefined Maxima values extraction and monitoring
GO-NOGO	A-6	Final tape IFPS validation results/claims. Final tape CCAMS validation results Decision OPS implementation Coordination of the OPS systems loading checklist
AD-HOC EDTCB		AD-HOC meeting, if required

GO-NOGO

At the GO-NOGO meeting it is decided whether the CACD database, produced and validated, is of sufficient quality (completeness and correctness) to be implemented in the NM.

In case of NOGO, the incorrect/missing data will be implemented and a new database will be produced.

Remark: The NOGO is a contingency procedure and is not used to implement late data delivered to the NM (directly or through NOTAM).

6 FORMS

Forms are available for updating CACD data.

There are 17 different forms available plus 1 form to request a pre-validation session.

They are all available through the NOP Portal:

<https://www.public.nm.eurocontrol.int/PUBPORTAL/gateway/spec/>

The screenshot displays the Network Operations Portal (NOP) interface. At the top, it shows the date and time (19/02/2025, 11:10 UTC) and a target date (19/02/2025). The interface is divided into several sections:



















- Initial Network Plan:** A map of Europe showing flight paths and various markers.
- Network Headline News:** A list of news items with dates and titles, such as "Network Operations Plan - Rolling Seasonal NOP - 17 February 2025 - 13 April 2025".
- Current Network Situation:** A map showing the current network status with color-coded areas.
- Flight Planning:** A section providing information about flight plan validation and management.
- Network Operations HANDBOOK:** A list of various manuals and guides, including "ATFCM Users Manual", "IFPS Users Manual", and "Access guide for iNM Digital Products".

A red arrow points to the link "Other operational documentation & CACD forms" in the "Network Operations HANDBOOK" section.

© 2021 The European Organisation for the Safety of Air Navigation (EUROCONTROL) All rights reserved. nop.office@eurocontrol.int Legal Notice & Disclaimer

Manuals User Guides General documentation Projects & Trials Technical **CACD data forms**

The Network Operations CACD forms must be used by ANSPs/States for the implementation of Non published AIP data in NMOC

Data submission form for a profile tuning restriction	
Data submission form for aerodrome flight rule	
Data submission form for departure arrival processing	
Data submission form for runway configurations taxitimes TIS and TRS for AIRAC and or non-AIRAC updates	
Data submission form for transition points on terminal procedures	
Data submission form for ASM related data	
Data submission form for associated flows	
Data submission form for ATC ATS unit addresses	
Data submission form for ATC sectors	
Data submission form for capacities for AIRAC and non-AIRAC updates	
Data submission form for clusters	
Data submission form for OAT routes available for military GAT	
Data submission form for sector configurations and activation tables for AIRAC and non-AIRAC updates	
Data submission form for traffic volume creation change or deletion	
Data submission form for unavailable cruising levels	
Data submission form for aircraft type restriction on SID and STARS	
Data submission form for prevalidation	
Data submission form for Mode-S Airspace declaration	

Abbreviations

Abbreviations and acronyms used in this document are available in the EUROCONTROL Air Navigation Inter-site Acronym List (AIRIAL) which may be found [here](#).



SUPPORTING
EUROPEAN
AVIATION

© EUROCONTROL - Mar-2026

This document is published by EUROCONTROL for information purposes. It may be copied in whole or in part, provided that EUROCONTROL is mentioned as the source and it is not used for commercial purposes (i.e. for financial gain). The information in this document may not be modified without prior written permission from EUROCONTROL.

www.eurocontrol.int